

YYYY-MM-DD.csv.gz - compressed csv

FIELD NAME	TYPE	SIZE	DESCRIPTION
msg_id	String	500	Unique string assigned for a message
timestamp	String	19	Time of event
from_number	String	10	Originating number: message sender
to_number	String	10	Terminating number: message recipient
coding	Integer	1	Message coding: 0 = SMSC 1 = ASCII 4 = UTF8 8 = UCS2
segment_count	Integer	11	Number of 160 byte segments used for message. Ex 325 byte= 3 segments
mms	Integer	1	Flag for MMS (Multimedia Messaging Service). 1 if MMS, 0 otherwise
charge	Decimal	20,10	Normal Charge for Message. DOES NOT INCLUDE SURCHARGES. See network_surcharge
delivery_status	String	10	Status of Message Examples: DELIVRD EXPIRED REJECTD UNDELIV
message_delivered	Integer	1	Message Success. 1= Delivered, 0 Not Delivered. Use delivery_status for assistance
error_code	String	3	Error Code for message. '000' represents no error
wireless_status	Integer	1	Terminating number is wireless number = 1 Terminating number is not a wireless number = 0
mno	String	3	MNO stands for Mobile Network Operator. This field is the carrier/network that the data record was placed on.
network_surcharge	Decimal	20,10	Charges from Network for services such as 10DLC
direction	String	8	Inbound or Outbound
priority	Integer	1	Priority applied to message
pool_id	Integer	11	Message Pool Id, if applicable.
pool_label	String	100	Message pool label
pool_allotment	Integer	11	Message SEGMENT count allocated to the pool at the time of rating
pool_allotment_used	integer	11	Message SEGMENT count used by the pool at the time of record rating

VERSION HISTORY

Version	Date	Notes
1.2	10/26/23	
1.3	10/15/26	Added direction, priority, pool related fields